

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37596	(semiconductor near (device or element)) and (high near density)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 06:39
L2	9800	(semiconductor near (device or element)) same (high near density)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:24
L3	8329	29/417,592.1,593,831,842,846,854.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:21
L4	2185	29/25.01.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:21
L5	1832	438/6,15,337,462.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:27
L6	10499	3 or 4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:22
L7	57	2 and 5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:22
L8	94	2 and 6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:24
L9	3615	427/129,130.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:24
L10	0	2 and 9	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:24
L11	409663	(semiconductor near (device or element))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:45
L12	24	9 and 11	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:25
L13	173	7 or 8 or 12	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:25
L14	0	7 and 8 and 12	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:25
L15	1737	protrud\$3 same (contact near terminal)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:26

EAST Search History

L16	950	protrud\$3 with (contact near terminal)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:26
L17	1	13 and 16	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:26
L18	7451	438/14-18.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:27
L19	140549	semiconductor with (integrated near circuit)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:28
L20	4	("5055778" "5532906" "5672977" "5945834").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/10 07:28
L21	37	("5945834").URPN.	USPAT	OR	ON	2006/10/10 07:30
L22	1048	WADA-YUJI.in. or KASUKABE-SUSUMU.in. or HASEBE-TAKEHIKO.in. or NARIZUKA-YASUNORI.in. or YABUSHITA-AKIRA.in. or MORI-TERUTAKA.in. or HASEBE-AKIO.in. or MOTOYAMA-YASUHIRO.in. or SHOJI-TERUO.in. or SUEYOSHI-MASAKAZU.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:36
L23	99	19 and 22	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:37
L24	8	16 and 23	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:45
L25	10635	324/754,755,758,761,765.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:45
L26	15955	test\$3 with (semiconductor near (device or element))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:46
L27	152	25 and "265"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:46
L28	2316	25 and 26	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:46
L29	13	22 and 28	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:46

EAST Search History

L30	2	16 and 29	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/10/10 07:46
-----	---	-----------	---------------------------------	----	----	------------------


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((semiconductor device) <and> (connector))<in>metadata) <and> (pyr >= 1950 &..."

e-mail

Your search matched **23** of **1416205** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

 (((semiconductor device) <and> (connector))<in>metadata) <and> (pyr >= 1950 &...
☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **Replaceable chip module (RCM™)**
Rathburn, J.;
Multichip Modules and High Density Packaging, 1998. Proceedings. 1998 7th I
Conference on
15-17 April 1998 Page(s):393 - 398
Digital Object Identifier 10.1109/ICMCM.1998.670814
[AbstractPlus](#) | Full Text: [PDF](#)(648 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Microrelay packaging technology using flip-chip assembly**
Miller, D.C.; Wenge Zhang; Bright, V.M.;
Micro Electro Mechanical Systems, 2000. MEMS 2000. The Thirteenth Annual
Conference on
23-27 Jan. 2000 Page(s):265 - 270
Digital Object Identifier 10.1109/MEMSYS.2000.838527
[AbstractPlus](#) | Full Text: [PDF](#)(608 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Multidimensional VCSEL-array push/pull module fabricated using the sel**
mounting technique
Kosaka, H.; Kajita, M.; Sugimoto, Y.;
Components, Packaging, and Manufacturing Technology, Part B: Advanced P
Transactions on [see also Components, Hybrids, and Manufacturing Technolo
Transactions on]
Volume 21, Issue 4, Nov. 1998 Page(s):471 - 478
Digital Object Identifier 10.1109/96.730430
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(692 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **A surface mount type single-mode laser module using passive alignment**
Kurata, K.; Yamauchi, K.; Kawatani, A.; Tanaka, H.; Honmou, H.; Ishikawa, S.;
Electronic Components and Technology Conference, 1995. Proceedings., 45th
21-24 May 1995 Page(s):759 - 765
Digital Object Identifier 10.1109/ECTC.1995.517771
[AbstractPlus](#) | Full Text: [PDF](#)(1372 KB) IEEE CNF
[Rights and Permissions](#)
- 5. **Modeling of low inductive busbar connections**

- ☐ Schanen, J.L.; Clavel, E.; Roudet, J.;
Industry Applications Magazine, IEEE
Volume 2, Issue 5, Sept.-Oct. 1996 Page(s):39 - 43
Digital Object Identifier 10.1109/2943.532153
[AbstractPlus](#) | Full Text: [PDF\(1080 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **6. Investigation of Fretting Corrosion at Dissimilar Metal Interfaces in Socket Applications**
Mottine, J.; Reagor, B.;
Components, Hybrids, and Manufacturing Technology, IEEE Transactions on / Trans. on Components, Packaging, and Manufacturing Technology, Part A, B,
Volume 7, Issue 1, Mar 1984 Page(s):61 - 68
[AbstractPlus](#) | Full Text: [PDF\(1136 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **7. 2D alignment free VCSEL-array module with push/pull fibre connector**
Kosaka, H.; Kajita, M.; Yamada, M.; Sugimoto, Y.; Kurata, K.; Tanabe, T.; Kashi
Electronics Letters
Volume 32, Issue 21, 10 Oct. 1996 Page(s):1991 - 1992
[AbstractPlus](#) | Full Text: [PDF\(232 KB\)](#) IEEE JNL

- ☐ **8. Survey of Integrated Circuits with Implications for Microwaves**
Pritchard, R.L.;
G-MTT International Symposium Digest, 1966
Volume 66, Issue 1, May 1966 Page(s):126 - 127
[AbstractPlus](#) | Full Text: [PDF\(87 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **9. The PONI-1 parallel-optical link**
Rosenberg, P.; Giboney, K.; Yuen, A.; Straznicki, J.; Haritos, D.; Buckman, L.; Corzine, S.; Kiamilev, F.; Dolfi, D.;
Electronic Components and Technology Conference, 1999. 1999 Proceedings
1-4 June 1999 Page(s):763 - 769
Digital Object Identifier 10.1109/ECTC.1999.776268
[AbstractPlus](#) | Full Text: [PDF\(792 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. Packaging trends for semiconductor lasers for DWDM-applications**
Vreeburg, C.G.M.; Groeneveld, C.M.;
Electronic Components and Technology Conference, 1999. 1999 Proceedings
1-4 June 1999 Page(s):1 - 4
Digital Object Identifier 10.1109/ECTC.1999.776055
[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **11. Packaging of high speed DFB laser diodes**
Lindgren, S.; Ahlfeldt, H.; Kerzar, B.; Kjebon, O.;
Optical Communication, 1996. ECOC '96. 22nd European Conference on
Volume 1, 15-19 Sept. 1996 Page(s):97 - 102 vol.1
[AbstractPlus](#) | Full Text: [PDF\(512 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **12. Tribological Properties of Gold for Electric Contacts**
Antler, M.;
Parts, Hybrids, and Packaging, IEEE Transactions on
Volume 9, Issue 1, Mar 1973 Page(s):4 - 14
[AbstractPlus](#) | Full Text: [PDF\(1752 KB\)](#) IEEE JNL

[Rights and Permissions](#)

- ☐ **13. Development of an electrostatically bonded fiber optic connection techni**
Spitzer, M.; Younger, P.; Allard, F.; Olin, L.;
[Quantum Electronics, IEEE Journal of](#)
Volume 18, Issue 10, Oct 1982 Page(s):1584 - 1588
[AbstractPlus](#) | Full Text: [PDF\(792 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **14. 1-Gb/s modulation characteristics of a vertical-cavity surface-emitting las**
Kajita, M.; Kosaka, H.; Yamada, M.; Sugimoto, Y.; Kurata, K.; Tanabe, T.;
[Photonics Technology Letters, IEEE](#)
Volume 9, Issue 2, Feb. 1997 Page(s):146 - 148
Digital Object Identifier 10.1109/68.553067
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(56 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **15. Plastic-based receptacle-type VCSEL-array modules with one and two di**
fabricated using the self-alignment mounting technique
Kosaka, H.; Kajita, M.; Yamada, M.; Sugimoto, Y.; Kurata, K.; Tanabe, T.; Kas
[Electronic Components and Technology Conference, 1997. Proceedings., 47th](#)
18-21 May 1997 Page(s):382 - 390
Digital Object Identifier 10.1109/ECTC.1997.606198
[AbstractPlus](#) | Full Text: [PDF\(1648 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **16. Space environment effects on solar arrays measured by the PASP plus e**
Guidice, D.A.; Ray, K.P.; Curtis, H.B.; Ferguson, D.C.;
[Energy Conversion Engineering Conference, 1996. IECEC 96. Proceedings of](#)
[Intersociety](#)
Volume 1, 11-16 Aug. 1996 Page(s):7 - 12 vol.1
Digital Object Identifier 10.1109/IECEC.1996.552836
[AbstractPlus](#) | Full Text: [PDF\(480 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **17. New intelligent power module for electric vehicles**
Nakajima, T.; Yoshida, S.; Uenishi, A.; Shirasawa, T.; Ukita, S.; Kimura, Y.;
[Industry Applications Conference, 1995. Thirtieth IAS Annual Meeting, IAS '95](#)
[Record of the 1995 IEEE](#)
Volume 2, 8-12 Oct. 1995 Page(s):954 - 958 vol.2
Digital Object Identifier 10.1109/IAS.1995.530403
[AbstractPlus](#) | Full Text: [PDF\(600 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **18. Gold interconnectors for solar generators in low Earth orbits**
La Roche, G.J.; Oxynos-Lauschke, C.; Wehner, K.-H.;
[Photovoltaic Energy Conversion, 1994., Conference Record of the Twenty-Fourth](#)
[Photovoltaic Specialists Conference - 1994, 1994 IEEE First World Conference](#)
Volume 2, 5-9 Dec. 1994 Page(s):2196 - 2199 vol.2
Digital Object Identifier 10.1109/WCPEC.1994.521659
[AbstractPlus](#) | Full Text: [PDF\(672 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **19. Implantable pacemakers**
Sanders, R.S.; Lee, M.T.;
[Proceedings of the IEEE](#)
Volume 84, Issue 3, March 1996 Page(s):480 - 486
Digital Object Identifier 10.1109/5.486749
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(984 KB\)](#) IEEE JNL

[Rights and Permissions](#)

- ☐ **20. Modeling of the resistive losses due to the bus-bar and external connecti concentrator solar cells**
Rey-Stolle, I.; Algora, C.;
[Electron Devices, IEEE Transactions on](#)
Volume 49, Issue 10, Oct. 2002 Page(s):1709 - 1714
Digital Object Identifier 10.1109/TED.2002.803638
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(275 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **21. Uni-travelling-carrier photodiode module with bandwidth of 80 GHz**
Muramoto, Y.; Hirota, Y.; Yoshino, K.; Ito, H.; Ishibashi, T.;
[Electronics Letters](#)
Volume 39, Issue 25, 11 Dec. 2003 Page(s):1851 - 1852
Digital Object Identifier 10.1049/el:20031158
[AbstractPlus](#) | Full Text: [PDF](#)(675 KB) IEE JNL
- ☐ **22. The first self-priming and bi-directional valve-less diffuser micropump fo gas**
van der Wijngaart, W.; Andersson, H.; Enoksson, P.; Noren, K.; Stemme, G.;
[Micro Electro Mechanical Systems, 2000. MEMS 2000. The Thirteenth Annual Conference on](#)
23-27 Jan. 2000 Page(s):674 - 679
Digital Object Identifier 10.1109/MEMSYS.2000.838599
[AbstractPlus](#) | Full Text: [PDF](#)(672 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **23. Modeling of low inductive connections: the planar busbar structure**
Schanan, J.L.; Clavel, E.; Roudet, J.;
[Industry Applications Society Annual Meeting, 1994.. Conference Record of th](#)
2-6 Oct. 1994 Page(s):1246 - 1250 vol.2
Digital Object Identifier 10.1109/IAS.1994.377556
[AbstractPlus](#) | Full Text: [PDF](#)(280 KB) IEEE CNF
[Rights and Permissions](#)